HTT TECHNOLOGY

Certificate of Conformity

Certificate No.	:	HTT202207021E
Applicant	:	Ruian Innovation Commodity factory
Applicant Address	:	5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China
Manufacturer	:	Ruian Innovation Commodity factory
Manufacturer Address	:	5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China
Product	:	Fruit and vegetable purifier
Model No.	:	CX-2201
Trademark	:	N/A

The following products have been tested by us with listed standards and found in compliance with the council EMC 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC.

Test standards:	Report(s) Number	Issued By	Issued Date
EN IEC 55014-1: 2021 EN IEC 55014-2:2021 EN IEC 61000-3-2: 2019 EN 61000-3-3:2013+A1:2019	HTT202207021ER	HTT	Jul.06,2022

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.

CE

Authorized Signer: Kevin Yang

KevinYang/Senior Manager

HTT TECHNOLOGY CO., LTD SHENZHEN HTT

Date: Jul.06,2022

Shenzhen HTT Technology Co.,Ltd. Web: www.httprc.com

TEL: 0755-23595200 FAX: 0755-23595201 Hotline: 400-6655-351 Mail: info@httprc.com

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen, China

Test Report

Applicant: Ruian Innovation Commodity factory

Address: 5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China

The following sample(s) and information were submitted and identified by the applicant

Sample Name:	Fruit and vegetable purifier
XNO Report Number:	XNO250227005AX2-1
Model No.:	CX-2201
Manufacturer:	Ruian Innovation Commodity factory
Manufacturer Address:	5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China
Main Substance:	Silicone+ABS
Sample Received Date:	Feb 27, 2025
Testing Period:	Feb 27, 2025 to Mar 04, 2025
Testing Requirements:	Selected test(s) as requested by client
Test Method:	Please refer to next page(s)
Test Results:	Please refer to next page(s)

Authorized signature

Kyle Kuang

Assistant manager

Approved Signatory

Guangzhou Supreme Technology & Testing Service Co., Ltd.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test Report

Summary of test results:

Test Requested	Conclusion
Regulation (EC) No 1935/2004 & Regulation EU (No) 10/2011 and its amendment & AP(2004) 5	
Sensorial Examination Odour and Taste Test	**PASS**
Visible Color migration	**PASS**
Specific Migration of 19 Heavy Metals	**PASS**
Overall Migration	**PASS**
Specific migration for Primary Aromatic Amines	**PASS**
Phthalates content	**PASS**
Polycyclic Aromatic Hydrocarbons (PAHs) Content	**PASS**
Specific Migration of Polycyclic Aromatic Hydrocarbons (PAHs)	**PASS**
Specific migration of hexene in olive oil	**PASS**
Specific migration of octene in olive oil	**PASS**
Bisphenol A(BPA) Content	**PASS**
Specific migration of Bisphenol A(BPA)	**PASS**
Specific Migration of Phthalates	**PASS**
Volatile organic matter(VOM)	**PASS**
Organotin Content	**PASS**
Peroxide Value	**PASS**
Total Lead and Total Cadmium content	**PASS**
Platinum content	**PASS**
Specific migration for 1, 3-butadiene	**PASS**
Residual 1, 3-butadiene	**PASS**
Specific migration of Acrylonitrile	**PASS**
Specific migration of Methacrylonitrile	**PASS**

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

Test Result(s):

Sensorial examination odour and taste test

Test Method: With reference to DIN10955:2024-01. No of panelist: 6

Test Item(s)	Limit	Result
		Entirety
Test media	-	Distilled water
Test temperature	-	23℃
Test time	-	24hr(s)
Sensorial examination odour (Point scale)	2.5	0.0
Sensorial examination taste (Point scale)	2.5	0.0

Remarks:

Intensity scale (rounded at 0.5):
0 - no perceptible difference
1 - just perceptible difference
2 - slight difference
3 - marked difference
4 - strong difference

Visible Color migration

Test Method: AP(89)1

Test Item(s)	Test Condition	Limit	Result	
			No.1	No.2
Visible Color migration	3% Acetic Acid 70℃, 2h	No color leach out	No color leach out	No color leach out

Test Item(s)	Test Condition	Limit	Result
			No.3
Visible Color migration	3% Acetic Acid 70℃, 2h	No color leach out	No color leach out

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

Specific Migration of 19 Heavy Metals

Test Method:EN 13130-1:2004, the analysis was performed by ICP-OES.

Test Item(s)	Test condition	Limit	Unit	Result					
				No.1			No.2		
				1st	2nd	3rd	1st	2nd	3rd
Barium (Ba)	3% Acetic Acid 70℃, 2h	1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt (Co)		0.05	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Copper (Cu)		5	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Iron (Fe)		48	mg/kg	<2	<2	<2	<2	<2	<2
Lithium (Li)		0.6	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc (Zn)		5	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Aluminum (Al)		1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Manganese (Mn)		0.6	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Nickle (Ni)		0.02	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Lead (Pb)		0.01	mg/kg	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Cadmium (Cd)		0.002	mg/kg	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Arsenic (As)		0.01	mg/kg	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Mercury (Hg)		0.01	mg/kg	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chromium (Cr)*		0.01	mg/kg	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Antimony (Sb)		0.04	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Europium (Eu)		-	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Gadolinium (Gd)		-	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Lanthanum (La)		-	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Terbium (Tb)		-	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Sum (Eu+Gd+La+Tb)		0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test Report

Test Item(s)	Test condition	Limit	Unit	Result		
				No.3		
				1st	2nd	3rd
Barium (Ba)	3% Acetic Acid 70℃, 2h	1	mg/kg	<0.1	<0.1	<0.1
Cobalt (Co)		0.05	mg/kg	<0.01	<0.01	<0.01
Copper (Cu)		5	mg/kg	<0.1	<0.1	<0.1
Iron (Fe)		48	mg/kg	<2	<2	<2
Lithium (Li)		0.6	mg/kg	<0.01	<0.01	<0.01
Zinc (Zn)		5	mg/kg	<0.1	<0.1	<0.1
Aluminum (Al)		1	mg/kg	<0.1	<0.1	<0.1
Manganese (Mn)		0.6	mg/kg	<0.01	<0.01	<0.01
Nickle (Ni)		0.02	mg/kg	<0.01	<0.01	<0.01
Lead (Pb)		0.01	mg/kg	<0.005	<0.005	<0.005
Cadmium (Cd)		0.002	mg/kg	<0.002	<0.002	<0.002
Arsenic (As)		0.01	mg/kg	<0.005	<0.005	<0.005
Mercury (Hg)		0.01	mg/kg	<0.005	<0.005	<0.005
Chromium (Cr)*		0.01	mg/kg	<0.005	<0.005	<0.005
Antimony (Sb)		0.04	mg/kg	<0.01	<0.01	<0.01
Europium (Eu)		-	mg/kg	<0.01	<0.01	<0.01
Gadolinium (Gd)		-	mg/kg	<0.01	<0.01	<0.01
Lanthanum (La)		-	mg/kg	<0.01	<0.01	<0.01
Terbium (Tb)		-	mg/kg	<0.01	<0.01	<0.01
Sum (Eu+Gd+La+Tb)		0.05	mg/kg	<0.05	<0.05	<0.05

Remarks:

1. mg/kg = milligram per kilogram = ppm
2. 1mg/kg = 0.0001%=1ppm
3. < = less than
4. "-" = Not Regulated
5. " * " = The detection limit of total chromium shall be 0.01mg/kg.If there is evidence that hexavalent chromium is absent, the total chromium limit may be 3.6mg/kg.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

Overall Migration

Test Method: EN 1186-1:2002 & EN 1186-3:2022

Test Item(s)	Test Condition	Limit	Unit	Result					
				No.1			No.2		
				1st	2nd	3rd	1st	2nd	3rd
Overall Migration	10% Ethyl alcohol 70℃, 2h	10	mg/dm^2	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
	3% Acetic acid 70℃, 2h	10	mg/dm^2	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
	95% Ethyl alcohol 60℃, 2h	10	mg/dm^2	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
	Isooctane 40℃, 0.5h	10	mg/dm^2	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

Test Item(s)	Test Condition	Limit	Unit	Result		
				No.3		
				1st	2nd	3rd
Overall Migration	10% Ethyl alcohol 70℃, 2h	10	mg/dm^2	<3.0	<3.0	<3.0
	3% Acetic acid 70℃, 2h	10	mg/dm^2	<3.0	<3.0	<3.0
	95% Ethyl alcohol 60℃, 2h	10	mg/dm^2	<3.0	<3.0	<3.0
	Isooctane 40℃, 0.5h	10	mg/dm^2	<3.0	<3.0	<3.0

Remarks:

1. mg/dm^2 = milligram per square decimeter
2. < = less than
3. Test condition was selected by client.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Specific migration of Primary Aromatic Amines

Test Method: EN 13130-1:2004, analyzed by LC-MS/MS.

Test media: 3% Acetic Acid

Test temperature/ time: 70℃, 2hr(s)

Test Item(s)		CAS No.	Limit	Unit	Result		
					No.1		
					1st	2nd	3rd
1	4-aminodiphenyl	92-67-1	0.002	mg/kg	<0.002	<0.002	<0.002
2	Benzidine	92-87-5	0.002	mg/kg	<0.002	<0.002	<0.002
3	4-chloro-o-toluidine	95-69-2	0.002	mg/kg	<0.002	<0.002	<0.002
4	2-naphthylamine	91-59-8	0.002	mg/kg	<0.002	<0.002	<0.002
5	o-aminoazotoluene	97-56-3	0.002	mg/kg	<0.002	<0.002	<0.002
6	2-amino-4-nitrotoluene	99-55-8	0.002	mg/kg	<0.002	<0.002	<0.002
7	p-chloroaniline	106-47-8	0.002	mg/kg	<0.002	<0.002	<0.002
8	2.4-diaminoanisole	615-05-4	0.002	mg/kg	<0.002	<0.002	<0.002
9	4,4'-diaminodiphenylmethane	101-77-9	0.002	mg/kg	<0.002	<0.002	<0.002
10	3,3-dimethoxybenzidine	119-90-4	0.002	mg/kg	<0.002	<0.002	<0.002
11	3,3'-dimethylbenzidine	119-93-7	0.002	mg/kg	<0.002	<0.002	<0.002
12	4,4'-Methylene-bis(2-methylaniline)	838-88-0	0.002	mg/kg	<0.002	<0.002	<0.002
13	p-cresidine	120-71-8	0.002	mg/kg	<0.002	<0.002	<0.002
14	4,4-methylene-bis-(2-chloroaniline)	101-14-4	0.002	mg/kg	<0.002	<0.002	<0.002
15	4,4'-oxydianiline	101-80-4	0.002	mg/kg	<0.002	<0.002	<0.002
16	4,4'-thiodianiline	139-65-1	0.002	mg/kg	<0.002	<0.002	<0.002
17	o-toluidine	95-53-4	0.002	mg/kg	<0.002	<0.002	<0.002
18	2,4-diaminotoluene	95-80-7	0.002	mg/kg	<0.002	<0.002	<0.002
19	2,4,5-trimethylaniline	137-17-7	0.002	mg/kg	<0.002	<0.002	<0.002
20	2-methoxyaniline	90-04-0	0.002	mg/kg	<0.002	<0.002	<0.002
21	4-aminoazobenzene	60-09-3	0.002	mg/kg	<0.002	<0.002	<0.002
22	Aniline	62-53-3	0.002	mg/kg	<0.002	<0.002	<0.002
23	3.3'-Dichlorobenzidine	91-94-1	0.002	mg/kg	<0.002	<0.002	<0.002

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test media: 3% Acetic Acid
Test temperature/ time: 70℃, 2hr(s)

Test Item(s)		CAS No.	Limit	Unit	Result		
					No.2		
					1st	2nd	3rd
1	4-aminodiphenyl	92-67-1	0.002	mg/kg	<0.002	<0.002	<0.002
2	Benzidine	92-87-5	0.002	mg/kg	<0.002	<0.002	<0.002
3	4-chloro-o-toluidine	95-69-2	0.002	mg/kg	<0.002	<0.002	<0.002
4	2-naphthylamine	91-59-8	0.002	mg/kg	<0.002	<0.002	<0.002
5	o-aminoazotoluene	97-56-3	0.002	mg/kg	<0.002	<0.002	<0.002
6	2-amino-4-nitrotoluene	99-55-8	0.002	mg/kg	<0.002	<0.002	<0.002
7	p-chloroaniline	106-47-8	0.002	mg/kg	<0.002	<0.002	<0.002
8	2.4-diaminoanisole	615-05-4	0.002	mg/kg	<0.002	<0.002	<0.002
9	4,4'-diaminodiphenylmethane	101-77-9	0.002	mg/kg	<0.002	<0.002	<0.002
10	3,3-dimethoxybenzidine	119-90-4	0.002	mg/kg	<0.002	<0.002	<0.002
11	3,3'-dimethylbenzidine	119-93-7	0.002	mg/kg	<0.002	<0.002	<0.002
12	4,4'-Methylene-bis(2-methylaniline)	838-88-0	0.002	mg/kg	<0.002	<0.002	<0.002
13	p-cresidine	120-71-8	0.002	mg/kg	<0.002	<0.002	<0.002
14	4,4-methylene-bis-(2-chloroaniline)	101-14-4	0.002	mg/kg	<0.002	<0.002	<0.002
15	4,4'-oxydianiline	101-80-4	0.002	mg/kg	<0.002	<0.002	<0.002
16	4,4'-thiodianiline	139-65-1	0.002	mg/kg	<0.002	<0.002	<0.002
17	o-toluidine	95-53-4	0.002	mg/kg	<0.002	<0.002	<0.002
18	2,4-diaminotoluene	95-80-7	0.002	mg/kg	<0.002	<0.002	<0.002
19	2,4,5-trimethylaniline	137-17-7	0.002	mg/kg	<0.002	<0.002	<0.002
20	2-methoxyaniline	90-04-0	0.002	mg/kg	<0.002	<0.002	<0.002
21	4-aminoazobenzene	60-09-3	0.002	mg/kg	<0.002	<0.002	<0.002
22	Aniline	62-53-3	0.002	mg/kg	<0.002	<0.002	<0.002
23	3.3'-Dichlorobenzidine	91-94-1	0.002	mg/kg	<0.002	<0.002	<0.002

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test media: 3% Acetic Acid
Test temperature/ time: 70℃, 2hr(s)

Test Item(s)		CAS No.	Limit	Unit	Result		
					No.3		
					1st	2nd	3rd
1	4-aminodiphenyl	92-67-1	0.002	mg/kg	<0.002	<0.002	<0.002
2	Benzidine	92-87-5	0.002	mg/kg	<0.002	<0.002	<0.002
3	4-chloro-o-toluidine	95-69-2	0.002	mg/kg	<0.002	<0.002	<0.002
4	2-naphthylamine	91-59-8	0.002	mg/kg	<0.002	<0.002	<0.002
5	o-aminoazotoluene	97-56-3	0.002	mg/kg	<0.002	<0.002	<0.002
6	2-amino-4-nitrotoluene	99-55-8	0.002	mg/kg	<0.002	<0.002	<0.002
7	p-chloroaniline	106-47-8	0.002	mg/kg	<0.002	<0.002	<0.002
8	2.4-diaminoanisole	615-05-4	0.002	mg/kg	<0.002	<0.002	<0.002
9	4,4'-diaminodiphenylmethane	101-77-9	0.002	mg/kg	<0.002	<0.002	<0.002
10	3,3-dimethoxybenzidine	119-90-4	0.002	mg/kg	<0.002	<0.002	<0.002
11	3,3'-dimethylbenzidine	119-93-7	0.002	mg/kg	<0.002	<0.002	<0.002
12	4,4'-Methylene-bis(2-methylaniline)	838-88-0	0.002	mg/kg	<0.002	<0.002	<0.002
13	p-cresidine	120-71-8	0.002	mg/kg	<0.002	<0.002	<0.002
14	4,4-methylene-bis-(2-chloroaniline)	101-14-4	0.002	mg/kg	<0.002	<0.002	<0.002
15	4,4'-oxydianiline	101-80-4	0.002	mg/kg	<0.002	<0.002	<0.002
16	4,4'-thiodianiline	139-65-1	0.002	mg/kg	<0.002	<0.002	<0.002
17	o-toluidine	95-53-4	0.002	mg/kg	<0.002	<0.002	<0.002
18	2,4-diaminotoluene	95-80-7	0.002	mg/kg	<0.002	<0.002	<0.002
19	2,4,5-trimethylaniline	137-17-7	0.002	mg/kg	<0.002	<0.002	<0.002
20	2-methoxyaniline	90-04-0	0.002	mg/kg	<0.002	<0.002	<0.002
21	4-aminoazobenzene	60-09-3	0.002	mg/kg	<0.002	<0.002	<0.002
22	Aniline	62-53-3	0.002	mg/kg	<0.002	<0.002	<0.002
23	3.3'-Dichlorobenzidine	91-94-1	0.002	mg/kg	<0.002	<0.002	<0.002

Remarks:

1. mg/kg = milligram per kilogram = ppm
2. 1mg/kg = 0.0001%=1ppm
3. < = less than

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

Phthalates content

Test Method: EN 14372:2004 Clause 5.4.2, 3 6.3.2, analyzed by Gas Chromatography with Mass Spectrometry(GC-MS).

Test Item(s)	CAS No.	Limit	Unit	MDL	Result		
					No.1	No.2	No.3
Dibutyl phthalate (DBP)	84-74-2	0.05	%	0.005	N.D.	N.D.	N.D.
Benzyl butyl phthalate (BBP)	85-68-7	0.1	%	0.005	N.D.	N.D.	N.D.
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	0.1	%	0.005	N.D.	N.D.	N.D.
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	0.1	%	0.01	N.D.	N.D.	N.D.
Di-isodecyl phthatlate (DIDP)	26761-40-0 68515-49-1	0.1	%	0.01	N.D.	N.D.	N.D.

Remarks:

1. % = Percentage by weight
2. 0.0001% = 1mg/kg = 1ppm
3. MDL = Method Detection Limit
4. N.D. = Not Detected (Less than MDL)

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Polycyclic Aromatic Hydrocarbons (PAHs) Content

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Limit	Unit	MDL	Result		
					No.1	No.2	No.3
Naphthalene (NAP)	91-20-3	2	mg/kg	0.2	N.D.	N.D.	N.D.
Phenanthrene(PHE)	85-01-8	-	mg/kg	0.2	N.D.	N.D.	N.D.
Anthracene(ANT)	120-12-7	-	mg/kg	0.2	N.D.	N.D.	N.D.
Fluoranthene(FLT)	206-44-0	-	mg/kg	0.2	N.D.	N.D.	N.D.
Pyrene(PYR)	129-00-0	-	mg/kg	0.2	N.D.	N.D.	N.D.
Benzo[a]anthracene(BaA)	56-55-3	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Chrysene(CHR)	218-01-9	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	205-99-2	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Benzo[j]fluoranthene(BjF)	205-82-3	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Benzo[[k]fluoranthene(BkF)	207-08-9	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Benzo[a]pyrene(BaP)	50-32-8	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Benzo[e]pyrene(BeP)	192-97-2	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Indeno[1,2,3-cd]pyrene(IPY)	193-39-5	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	53-70-3	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Benzo[g,h,i]perylene(BPE)	191-24-2	0.5	mg/kg	0.2	N.D.	N.D.	N.D.
Sum of PHE, ANT, FLT,PYR	-	10	mg/kg	-	N.D.	N.D.	N.D.
Sum of 15 PAHs	-	10	mg/kg	-	N.D.	N.D.	N.D.

Remarks:

1. 1mg/kg = 0.0001%=1ppm
2. MDL = Method Detection Limit
3. N.D. = Not Detected (Less than MDL)
4. “-” = Not Regulated
5. Limits for PAH in product according to AfPS GS 2019:01 PAK

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report’s sending out, it will not be accepted after this date.

Specific Migration of Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: EN 13130-1:2004; analysis was performed by GC-MS.

Test media: 3% Acetic Acid

Test temperature/ time: 70℃, 2hr(s)

Test Item(s)	CAS No.	Limit	Unit	Result		
				No.1		
				1st	2nd	3rd
Naphthalene (NAP)	91-20-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Phenanthrene(PHE)	85-01-8	Not detected	mg/kg	<0.01	<0.01	<0.01
Anthracene(ANT)	120-12-7	Not detected	mg/kg	<0.01	<0.01	<0.01
Fluoranthene(FLT)	206-44-0	Not detected	mg/kg	<0.01	<0.01	<0.01
Pyrene(PYR)	129-00-0	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[a]anthracene(BaA)	56-55-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Chrysene(CHR)	218-01-9	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[b]fluoranthene(BbF)	205-99-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[j]fluoranthene(BjF)	205-82-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[[k]fluoranthene(BkF)	207-08-9	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[a]pyrene(BaP)	50-32-8	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[e]pyrene(BeP)	192-97-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Indeno[1,2,3-cd]pyrene(IPY)	193-39-5	Not detected	mg/kg	<0.01	<0.01	<0.01
Dibenzo[a,h]anthracene(DBA)	53-70-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[g,h,i]perylene(BPE)	191-24-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Sum of 15 PAHs	-	Not detected	mg/kg	<0.01	<0.01	<0.01

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test media: 3% Acetic Acid
Test temperature/ time: 70℃, 2hr(s)

Test Item(s)	CAS No.	Limit	Unit	Result		
				No.2		
				1st	2nd	3rd
Naphthalene (NAP)	91-20-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Phenanthrene(PHE)	85-01-8	Not detected	mg/kg	<0.01	<0.01	<0.01
Anthracene(ANT)	120-12-7	Not detected	mg/kg	<0.01	<0.01	<0.01
Fluoranthene(FLT)	206-44-0	Not detected	mg/kg	<0.01	<0.01	<0.01
Pyrene(PYR)	129-00-0	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[a]anthracene(BaA)	56-55-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Chrysene(CHR)	218-01-9	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[b]fluoranthene(BbF)	205-99-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[j]fluoranthene(BjF)	205-82-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[[k]fluoranthene(BkF)	207-08-9	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[a]pyrene(BaP)	50-32-8	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[e]pyrene(BeP)	192-97-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Indeno[1,2,3-cd]pyrene(IPY)	193-39-5	Not detected	mg/kg	<0.01	<0.01	<0.01
Dibenzo[a,h]anthracene(DBA)	53-70-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[g,h,i]perylene(BPE)	191-24-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Sum of 15 PAHs	-	Not detected	mg/kg	<0.01	<0.01	<0.01

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test Report

Test media: 3% Acetic Acid
Test temperature/ time: 70℃, 2hr(s)

Test Item(s)	CAS No.	Limit	Unit	Result		
				No.3		
				1st	2nd	3rd
Naphthalene (NAP)	91-20-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Phenanthrene(PHE)	85-01-8	Not detected	mg/kg	<0.01	<0.01	<0.01
Anthracene(ANT)	120-12-7	Not detected	mg/kg	<0.01	<0.01	<0.01
Fluoranthene(FLT)	206-44-0	Not detected	mg/kg	<0.01	<0.01	<0.01
Pyrene(PYR)	129-00-0	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[a]anthracene(BaA)	56-55-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Chrysene(CHR)	218-01-9	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[b]fluoranthene(BbF)	205-99-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[j]fluoranthene(BjF)	205-82-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[[k]fluoranthene(BkF)	207-08-9	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[a]pyrene(BaP)	50-32-8	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[e]pyrene(BeP)	192-97-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Indeno[1,2,3-cd]pyrene(IPY)	193-39-5	Not detected	mg/kg	<0.01	<0.01	<0.01
Dibenzo[a,h]anthracene(DBA)	53-70-3	Not detected	mg/kg	<0.01	<0.01	<0.01
Benzo[g,h,i]perylene(BPE)	191-24-2	Not detected	mg/kg	<0.01	<0.01	<0.01
Sum of 15 PAHs	-	Not detected	mg/kg	<0.01	<0.01	<0.01

Remarks:

1. mg/kg = milligram per kilogram = ppm
2. 1mg/kg = 0.0001%=1ppm
3. < = less than
4. “-” = Not Regulated

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report’s sending out, it will not be accepted after this date.

Specific migration of hexene in olive oil

Test Method: XNO in-house method, analyzed by GC-MS.

Test Item(s)	Test Condition	Limit	Unit	Result					
				No.1			No.2		
				1st	2nd	3rd	1st	2nd	3rd
hexene	olive oil 70℃, 2h	3	mg/kg	<1	<1	<1	<1	<1	<1

Test Item(s)	Test Condition	Limit	Unit	Result		
				No.3		
				1st	2nd	3rd
hexene	olive oil 70℃, 2h	3	mg/kg	<1	<1	<1

Specific migration of octene in olive oil

Test Method: XNO in-house method, analyzed by GC-MS.

Test Item(s)	Test Condition	Limit	Unit	Result					
				No.1			No.2		
				1st	2nd	3rd	1st	2nd	3rd
octene	olive oil 70℃, 2h	15	mg/kg	<5	<5	<5	<5	<5	<5

Test Item(s)	Test Condition	Limit	Unit	Result		
				No.3		
				1st	2nd	3rd
octene	olive oil 70℃, 2h	15	mg/kg	<5	<5	<5

Remarks:

1. mg/kg = milligram per kilogram = ppm
2. 1mg/kg = 0.0001%=1ppm
3. < = less than

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Bisphenol A (BPA) Content

Test Method: Solvent extraction, analyzed by LC-MS/MS.

Test Item(s)	Limit	Unit	MDL	Result		
				No.1	No.2	No.3
Bisphenol A	Absent	mg/kg	0.01	N.D.	N.D.	N.D.

Remarks:

1. 1mg/kg = 0.0001%=1ppm
2. MDL = Method Detection Limit
3. N.D. = Not Detected (Less than MDL)

Specific migration of Bisphenol A(BPA)

Test Method: CEN/TS 13130-13:2005, analysis was performed by Liquid Chromatograph Mass Spectrometer (LC-MS/MS).

Test Item(s)	Test Condition	Limit	Unit	Result					
				No.1			No.2		
				1st	2nd	3rd	1st	2nd	3rd
Bisphenol A	3% Acetic acid 70℃, 2h	0.05	mg/kg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Test Item(s)	Test Condition	Limit	Unit	Result		
				No.3		
				1st	2nd	3rd
Bisphenol A	3% Acetic acid 70℃, 2h	0.05	mg/kg	<0.01	<0.01	<0.01

Remarks:

1. mg/kg = milligram per kilogram = ppm
2. < = less than

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Specific Migration of Phthalates

Test Method: EN 13130-1:2004, analyzed by GC-MS.

Test media: 3% Acetic Acid
Test temperature/ time: 70℃, 2hr(s)

Test Item(s)	CAS No.	Limit	Unit	MDL	Result
					No.1
Dibutyl phthalate (DBP)	84-74-2	0.3	mg/kg	0.1	N.D.
Benzyl butyl phthalate (BBP)	85-68-7	30	mg/kg	10	N.D.
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	1.5	mg/kg	0.5	N.D.
Diallyl phthalate (DAP)	131-17-9	0.01	mg/kg	0.01	N.D.
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	--	mg/kg	3	N.D.
Di-isodecyl phthatlate (DIDP)	26761-40-0 68515-49-1	--	mg/kg	3	N.D.
Sum of DINP + DIDP	--	9	mg/kg	--	N.D.

Remarks:

1. 1mg/kg = 0.0001%=1ppm
2. MDL = Method Detection Limit
3. N.D. = Not Detected (Less than MDL)
4. "-" = Not Regulated

Volatile organic matter(VOM)

Test Method: Bundesgesundheitsl-Gesundheitsforschung - Gesundheitsschutz 66 (2023) 216-217.

Test item(s)	Test Condition	Limit	Unit	MDL	Result
					No.1
Volatile Organic Matter	200℃, 4h	0.5	%	0.1	N.D.

Remarks:

1. % = percentage of weight by weight
2. MDL =Method Detection Limit
3. N.D. = Not Detected (Less than MDL)

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Organotin Content

Test Method: With reference to ISO 17353:2004, analysis was performed by GC-MS.

Test Item(s)	Limit	Unit	MDL	Result
				No.1
Monobutyl tin (MBT)	Absent	mg/kg	0.05	N.D.
Dibutyl tin(DBT)	Absent	mg/kg	0.05	N.D.
Tributyl tin (TBT)	Absent	mg/kg	0.05	N.D.
Monooctyl tin (MOT)	Absent	mg/kg	0.05	N.D.
Tetrabutyl tin (TTBT)	Absent	mg/kg	0.05	N.D.
Dioctyl tin (DOT)	Absent	mg/kg	0.05	N.D.
Triphenyl tin (TPhT)	Absent	mg/kg	0.05	N.D.

Remarks:

1. 1mg/kg = 0.0001%=1ppm
2. MDL = Method Detection Limit
3. N.D. = Not Detected (Less than MDL)

Peroxide Value

Test Method: European Pharmacopoeia, 2005 Appendix X F. Peroxide Value method A.

Test Item(s)	Limit	Result
		No.1
Peroxide Value	Absent	Absent

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Total Lead and Cadmium content

Test Method: XNO in-house method acid digestion, analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	Result
				No.1
Lead(Pb)	Absent	mg/kg	2.0	N.D.
Cadmium(Cd)	Absent	mg/kg	2.0	N.D.

Platinum content

Test Method: Acid digestion, analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	Result
				No.1
Platinum (Pt)	120	mg/kg	10	N.D.

Remarks:

1. 1mg/kg = 0.0001%=1ppm
2. MDL = Method Detection Limit
3. N.D. = Not Detected (Less than MDL)

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Specific migration for 1, 3-butadiene

Test Method: CEN/TS 13130-13:2005, analysis was performed by Liquid Chromatograph Mass Spectrometer (LC-MS/MS).

Test Item(s)	Test Condition	Limit	Unit	Result					
				No.2			No.3		
				1st	2nd	3rd	1st	2nd	3rd
1, 3-butadiene	3% Acetic acid 70℃, 2h	Not detected	ppm	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Remarks: 1. mg/kg = milligram per kilogram = ppm
2. < = less than

Residual 1, 3-butadiene

Test Method: Solvent extraction, analyzed by GC-MS.

Test Item(s)	Limit	Unit	MDL	Result	
				No.2	No.3
Residual 1, 3-butadiene	1	ppm	1	N.D.	N.D.

Remarks:

1. 1mg/kg = 0.0001%=1ppm
2. MDL = Method Detection Limit
3. N.D. = Not Detected (Less than MDL)

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Specific migration of Acrylonitrile

Test Method: CEN/TS 13130-13:2005, analysis was performed by Liquid Chromatograph Mass Spectrometer (LC-MS/MS).

Test Item(s)	Test Condition	Limit	Unit	Result					
				No.2			No.3		
				1st	2nd	3rd	1st	2nd	3rd
Acrylonitrile	3% Acetic acid 70℃, 2h	Not detected	ppm	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Specific migration of Methacrylonitrile

Test Method: EN 13130-1:2004, analysis was performed by HPLC & LC-MS/MS.

Test Item(s)	Test Condition	Limit	Unit	MDL	Result					
					No.2			No.3		
					1st	2nd	3rd	1st	2nd	3rd
Methacrylonitrile	3% Acetic Acid 70℃, 2h	Not Detected	mg/kg	0.01	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Remarks: 1. mg/kg = milligram per kilogram = ppm
2. < = less than

Note: As specified by applicant, to test content in the selected materials of the submitted samples. The test results are only responsible for the submitted sample. The test report is only for customer research, teaching, internal quality control, product development and other purposes, for reference only.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test Report

Sample Description:

Specimen No.	Description	Material (claimed by the client)
1	White silicone (silicone ring)	Silicone
2	Dark blue plastic (lid)	ABS
3	Dark blue plastic (shell)	ABS

Sample Photo:



*** End of Report ***

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

TEST REPORT

Applicant : Ruian Innovation Commodity factory

Address : 5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China

(The Submitted Sample Said To Be)

Sample Name : Fruit and vegetable purifier

Model : CX-2201

Test Period : From Dec. 12, 2022 to Dec. 15, 2022

Tests conducted : As requested by the applicant, for details refer to next page(s).

Executive Summary:

No.	TESTED SAMPLE	STANDARD	CONCLUSION
1	Tested material(s) of submitted sample(s)	Material in Contact with Food Articles FDA 21 CFR 180.22&181.32 Acrylonitrile copolymers and resins acrylonitrile monomer extraction - Deionized water	PASS

Signed for and on behalf of

Compliance Control Institute (Guangzhou) Co., Ltd.

Approved by:

Pascal SHI/Technical Director

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel：+86-20-84900678 Fax：+86-20-84910993

Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

TEST REPORT

Test result(s):

1. Acrylonitrile monomer extraction

Test Method: with reference to FDA 21 CFR 180.22 & 181.32

Parameter	Unit	RL	Limit	Result
				1
Acrylonitrile monomer extraction - Deionized water (120°F, 24h)	mg/in^2	0.001	0.003	N.D.
Conclusion				PASS

Note:
1. mg/in^2 = milligrams per square.
2. "≤"= less than or equal to.
3. N.D. = Not Detected (<RL)
4. RL = Report limit.

Test Material(s) List

Material No.	Description
1	Blue plastic (ABS)

Test Photo Appendix



★★★★★End of Report★★★★★

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

HTT TECHNOLOGY

Certificate of Conformity

Certificate No.	:	HTT202403115R
Applicant	:	Ruian Innovation Commodity factory
Applicant Address	:	5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China
Manufacturer	:	Ruian Innovation Commodity factory
Manufacturer Address	:	5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China
Product	:	Fruit and vegetable purifuer
Model No.	:	CX-2201
Trademark	:	N/A

This is to certify that, on the basis of the tests undertaken as per Report No.: **HTT202403115CH**, the submitted sample of the above item complies with:

IEC 62321-4:2013+A1:2017
IEC 62321-5:2013
IEC 62321-6:2015
IEC 62321-7-1:2015
IEC 62321-7-2:2017
IEC 62321-8:2017

And fulfills testing requirement of the RoHS directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102.

RoHS

Kevin Yang

KevinYang/Senior Manager

HTT TECHNOLOGY CO.,LTD SHENZHEN

Date of Issue:Mar. 07, 2024

Shenzhen HTT Technology Co.,Ltd. **Web: www.httprc.com**

TEL: 0755-23595200 FAX: 0755-23595201 Hotline: 400-6655-351 Mail: info@httprc.com

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen, China

HTT TECHNOLOGY

FCC SUPPLIER'S DECLARATION OF CONFORMITY

Certificate Number:	**HTT202207021F**
Applicant:	**Ruian Innovation Commodity factory**
Applicant Address:	**5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China**
Manufacturer:	**Ruian Innovation Commodity factory**
Manufacturer Address:	**5th floor, Korea Christina Building, Feiyun Nanbin Street, Ruian City, Zhejiang Province, China**
Product Name:	**Fruit and vegetable purifier**
Model No.:	**CX-2201**
Trade Mark:	**N/A**
Applicable standards:	**FCC CFR Title 47 Part 15 Subpart B:2019**

The products comply with the FCC regulations and the electromagnetic compatibility evaluation requirements.

The test result has been evaluated by Shenzhen HTT Technology Co., Ltd laboratory and showed in the test report

The test report number: HTT202207021FR

It is understood that each unit marketed is identical to the device as tested, and any changes to the device that could adversely affect the emission characteristics will require retest.

The following responsible party designated in FCC §2.909 is responsible for this declaration:

Authorized Signer: Kevin Yang

KevinYang/Senior Manager

Date: Jul.06,2022

Shenzhen HTT Technology Co.,Ltd. Web: www.httprc.com

TEL: 0755-23595200 FAX: 0755-23595201 Hotline: 400-6655-351 Mail: info@httprc.com

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen, China